

**Ecofriendly, Low VOC
Decorative & Antiskid Floor & Wall Coating
For Industrial & Commercial Application**

Decorative & Antiskid Finish




SMA
ADHESIVES


Manufacturing & Application under one roof

Water Base Epoxy / PU Floor Coating System


A . 1-2 mm thick eco friendly self leveling system for light to medium duty flooring.




B . 5-10 mm thick eco friendly self leveling system for heavy duty flooring.



C . 1-2 mm thick eco friendly self leveling system which includes decorative & antiskid properties



D . 2-3 mm thick high temperature resistant self leveling PU floor coating system specially for reactor room with antiskid finish



ELASTOBOND PU (HWC)

HYGIENIC WATERBASE POLYURETHANE COATING FOR INTERIOR WALLS

PRODUCT DESCRIPTION

ELATOBOND PU (HWC) is single component water base polyurethane wall coating for interior walls which form flexible and tough film which creates hygienic surface treatment on interior walls

ADVANTAGES

Ecofriendly, being water base.

Forms flexible and tough film which bridge the cracks and having good resistance water and cleaning chemicals.

very high easy to clean properties

very high gloss.

resistance to micro-organism due to incorporation of special anti micro biological additive

good stain resistance

APPLICATION AREAS

Clean room coatings for pharmaceutical industry.

Hospitals

Hotels .

Dairies and Breweries.

Food Processing Plants.

COVERAGE

6-8 sq.mtr. in two coats

PACKING

20 kg



Applications



Food Industry



Engineering Industry



Automobile Industry



Chemical Industry



Car Parking Deck



Shopping Mall



Effluent Treatment Plant



Pharma Industry

Advantages of Water Base Epoxy Floor Coating System

- Breathable
- No Blistering occurs
- High adhesion being water base
- Eco-friendly, low VOC
- Fast curing due to emulsion curing technology
- It can be applied on damp concrete

Advantages of Water Base PU Floor Coating System

- Eco-friendly, low VOC
- UV Stable
- More durable than epoxy
- High temperature resistance
- No cracking found at high temperature
- Breathable



Shop no.4, Ganga Bhuvan Srps road , Opp.Chetna
Apartment, Bhandup (W)
Tel No. 91-22-32608690 / 32976162

Reg.Office : Godreg Edenwoods 4 a2, Oak House, Pawar
Nagar, Thane (W).
Tel.No.91-22-25891320

Email : atul_awade@hotmail.com
Website : www.smadhesives.com