

LAMBDAGOLD SUPER

लेम्बडा -साईर्हेलोथ्रिन 4.9 प्रतिशत सी. एस.

(कीटनाशक)

लेम्बडा -साईर्हेलोथ्रिन 4.9 प्रतिशत सी. एस. एक कैपस्यूल ससपेन्शन सूत्रीकरण है, जिसके सक्रिय पदार्थ, पानी में लटके हुए छोटे कैपस्यूलों में बंद होता है और ये ताबही बाहर निकल आता है जब छिड़काव की बूंदं कीट के शरीर पर व पते की सतह पर सूखती है। इस की कपास की सूडियों, धान में तना छेदक व पता मोड़क, बैंगन में तना व फल छेदक इल्ली, भिंडी, टमाटर के फल छेदक इल्ली, अंगूर के चुरदा और पिस्सू बीटल ओर मिर्च के चुरदा और फल छेदक इल्ली तथा सोयाबीन के स्टेम फ्लाई व सेमीलूपर, अनार में चुरदा एवं फल छेदक, इलायची में शूट और कैप्सूल बोरर और थ्रिप्स के नियंत्रण के सिए सिफारिश की जाती हैं।

उपयोग

फसल	कीट के नाम	प्रति हैक्टेयर मात्रा		पानी की मात्रा (ली/हे)	अन्तिम छिड़काव तथा फसल काटने के बीच अन्तराल (दिनों में)	पुनः प्रवेश की अवधि प्रत्येक छिड़काव के बाद (घंटे)
		स. तत्व (ग्राम)	संरचना (मिली)			
अंगूर	चुरदा और पिस्सू बीटल	12.5	250	500-1000	7	-
अनार	चुर्दा, फल भेदक	0.002	500	500-100	5	-
इलायची	शूट और कैप्सूल बोरर और थ्रिप्स	20	400	1000	34	-
कपास	सुडियाँ	25	500	500	21	-
टमाटर	फल छेदक इल्ली	15.0	300	500	5	-
धान	पता मोड़क, तना छेदक	12.5	250	500	15	-
बैंगन	तना व फल छेदक इल्ली	15.0	300	500	5	-
भिंडी	फल छेदक इल्ली	15.0	300	500	5	-
मिर्च	चुरदा और फल छेदक इल्ली	25	500	500	5	-
सोयाबीन	स्टेम फ्लाई सेमीलूपर	15	300	500	31	-

उपयोग के लिए निर्देश

नेपसेक स्पेयर या पावर स्पेयर को इस्तेमाल करते हुए हाई -वाल्यूम छिड़काव करें।

प्रयोग का समय

-

प्रयोगकर्ताओं के लिए सावधानियां

घोल बनाने और छिड़काव करने के वक्त, तवचा, आंख, और मुँह को कीटनाशी के सम्पर्क से बचायें। सुरक्षात्मक कपड़े जैसे कि ऐपान, दस्तानों, नकाब और गर्म बूट आदि पहन कर ही इसका प्रयोग करें। धूम्रपान, खाने, पीने से परे कीटनाशी से प्रभावित हिस्सों को अच्छी तरह धोएं। हवा या पानी को कीटनाशी से प्रभावित न होने दें।

मछली, जलीय जीवों एवं मधुमखियों के लिए विषेता/विषाक्त है इसलिए जलीय जीवों के पास एवं मधुमखियों के फोरेजिंग पीरियड में उपयोग न करें।

विष के लक्षण

Caution:“Not to Be Used on Crops Other Than Specified on This Label/Leaflet”.

सामान्य लक्षण अन्य पायरिशाइड जैसे होते हैं। निगल जाने पर जी मिचलाना, उल्टी, पेट टर्द, दस्त या एलर्जी प्रकाशन जैसे लक्षण उत्पन्न हो सकते हैं। अधिक मात्रा निगल जाने पर नाड़ी मड़ल अशांत हो सकता है जिससे कपकंपी, असंतुलन, हाथ- पांव में कमजोरी, ऐठन, बेहोशी व श्वास प्रक्रिया में कमी के कारण मृत्यु हो सकती है। यदि त्वचा से सम्पर्क हुआ तो झनझनाहट या चेतना शून्यता का अव्यास पैदा कर सकता है।

यह ज्यादातर अज्ञानता में दूषित हाथों या दस्तानों से चेहरे को छू लेने से होता है। यह प्रभाव अस्थिर होता है। और 24 घंटे से ज्यादा नहीं ठहरता। इसमें किसी प्रकार के लंबी अवधि या इकट्ठे असर होने के प्रमाण उपलब्ध नहीं हैं। आँखों के सम्पर्क में आने से जलन हो सकती हैं।

प्राथमिक चिकित्सा

रोगी को ताजी हवा में ले जाये। उसके प्रभावित हिस्सों को साबुन और पानी से अच्छी तरह धो डालें। यदि निगल लिया हो तो उल्टी करायें और तब तक पेट से सारी दवा निकल न जाये। यदि जरूरत लगे तो गेस्टिंक लैवेंज दें। आँखें दूषित होने पर खूब पानी से धोएं।

विष नाशक

गेस्टिंक लैवेंज दीजिए और ध्यान रखें कि बाहर जा रहे तत्व उच्छवास के साथ अन्दर न जा सके। एलर्जी प्रकाशित होने पर, एन्टीहिस्टेमिन्स का प्रयोग किया जा सकता है। लक्षणानुसार इलाज करें।

खाली डिब्बों का निपटारा

खाली डिब्बों को दोबारा प्रयोग में न लायें। उनको अवस्था में नहीं रखना चाहिए। बची हुई दवा मशीन के धोवन और खाली डिब्बो का निपटारा सावधानी से करें। जिससे हवा तथा पानी को कीटनाशी से प्रदूषित न होनें दें।

संग्रहण की शर्तें

इस कीटनाशी को इसके मूल कन्टेनर खाने पीने की चीजों और पशुओं के चारे से अलग एंव दूर, कमरे में ताला लगाकर रखें। जगह सूखी, ठर्डी, पर्याप्त आयतन एंव मजबूती से बनी हो।

रासायनिक संरचना :

लेम्बडा -साईंहेलोथ्रिन	(स. त.)	4.9 % भार/भार
पालीआल्कलयीन ईथर		0.26 % भार/भार
डोडिसईल बैनजीन सलफोनेट का सोडियम लवण		0.09 % भार/भार
पोलिमरिक फैटी एस्टर		0.43 % भार/भार
सोडियम लिग्नोसलफोनेट		0.22 % भार/भार
हायड्रेड अल्यूमीनियम मेग्नीशियम सिलिकेट		1.44 % भार/भार
ट्रेटायोडियम पायरोफासफेट		0.06 % भार/भार
जैन्थम गम		0.11 % भार/भार
टैटानियम डायाक्साइड		0.51 % भार/भार
प्रापिलीन ग्लईकोल		0.04 % भार/भार
पालीडायमिथाईल सिलोग्लैन		0.02 % भार/भार
सल्फयूरिक एसिड		0.2 % भार/भार
1, 2- बेन्जिसोथियडेलिन		0.49 % भार/भार
अम्मोनियम हाईड्रोक्साइड		0.11 % भार/भार
आरोमेटिक हाईड्रोकार्बन		2.86 % भार/भार
पालीयूरिया		0.82 % भार/भार
पानी		पर्याप्त मात्रा % भार/भार
योग : १००.००० % भार/भार		

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

निर्माता

अंग्रेजी में लिखे गये अनुसार

उत्पादन परिसर:

अंग्रेजी में लिखे गये अनुसार

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

LAMBDAGOLD SUPER

Lambda-cyhalothrin 4.9% Capsule Suspension

(Insecticide)

Lambda cyhalothrin 4.9% Capsule Suspension is a capsule suspension formulation wherein the active ingredient is sealed in a tiny thin-walled capsules suspended in water and is released only when the spray deposit dries on the target pest and leaf surface. It is recommended for the control of bollworms in cotton, stem borer & Leaf folder in Paddy, shoot and fruit borer in Brinjal, Fruit borer in Okra & Tomato, Thrips & Flea beetle in Grapes and Thrips & Pod Borer in Chili and stemfly & semilooper in soybean crops, Thrips and fruit borer on Pomegranate, Shoot & capsule borer and Thrips on Cardamom Crop.

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water (l/h)	Waiting Period between last spray to harvest (In days)	Re-entry after each Application (In Hours)
		AI (g)	Formulation (ml)			
Grapes	Thrips & Flea beetle	12.5	250	500-1000	7	-
Pomegranate	Thrips, fruit borer	0.002	500	500-100	5	-
Cardamom	Shoot & capsule borer and Thrips	20	400	1000	34	-
Cotton	Bollworms	25	500	500	21	-
Tomato	Fruit borer	15.0	300	500	5	-
Paddy	Stem borer, Leaf Folder	12.5	250	500	15	-
Brinjal	shoot & Fruit borer	15.0	300	500	5	-
Okra	Fruit borer	15.0	300	500	5	-
Chili	Thrips & Pod borer	25	500	500	5	-
Soybean	stemfly, semilooper	15	300	500	31	-

Direction of Use

Method of application and spray equipment: Apply as hight volume spray with a KJnapsack sprayer fitted with fine-mist nozzle or mist blower.

Time of Application

-

Precaution

Avoid contact with skin, eyes and mouth during mixing and spraying. Wear protective clothing like apron, gloves, face shield and boots. Wash the affected areas before eating, drinking or smoking. Avoid contamination of environment and water. Avoid contact with treated area until the spray is fully dried.

The product is toxic to fish, aquatic invertebrates & honey bees thus may be avoided near aquaculture and active period of foraging of honey bee.

Symptoms Of Poisoning

Ingestion of lambda-cyhalothrin may produce non-specific symptoms such as nausea, vomiting abdominal pain, diarrhoea and allergic manifestations. If larger doses are ingested, it may cause disturbance of the nervous system with tremors, ataxia, weakness of limbs, convulsion, coma and death from respiratory depression. Skin contact may cause subjective sensation or tingling or numbness in the facial area. This effect normally results from unconscious transfer to the face from contaminated hands or gloves. This effect is transient, lasting up to 24 hours and there is no evidence of any long term or cumulative effects. Eye contact will cause irritation.

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

First Aid

Remove the patient from further exposure and wash contaminated skin with plenty of water and sap. If swallowed, induce vomiting and perform gastric lavage, repeat till the fluid is clear. If eyes contaminated, flush with plenty of water.

Antidote

Perform gastric lavage, taking care to prevent aspiration of gastric contents. Treat symptomatically. Antihistamines may be applied, in case of manifestation of allergic symptoms.

Disposal Of Used Container

The empty containers should never be re-used and should be destroyed and buried in safe place. Dispose off packages or surplus material and washing in a safe manner so as to prevent environmental and water pollution.

Storage Conditions

Store in the original container away from food and animal feed in a separate room kept under lock and key. Store in a cool dry, well built and well lit place of sufficient dimensions with good ventilation.

Chemical Composition:

Lambda-cyhalothrin	(a.i.)	4.9 % w/w
Polyalkylene glycol ether		0.26 % w/w
Dodecyl benzene sulphonate sodium salt		0.09 % w/w
Polymeric fatty ester		0.43 % w/w
Sodium lignosulphonate		0.22 % w/w
Hydrated aluminium magnesium silicate		1.44 % w/w
Tetrasodium pyrophosphate		0.06 % w/w
Xanthan gum		0.11 % w/w
Titanium dioxide		0.51 % w/w
Propylene glycol		0.04 % w/w
Polydimethyl siloxane		0.02 % w/w
Sulphuric acid		0.2 % w/w
1,2-benzisothiazol-3(2H)-one		0.49 % w/w
Ammonium hydroxide		0.11 % w/w
Aromatic hydrocarbon		2.86 % w/w
Polyurea		0.82 % w/w
Water		% Q.S.
Total:		100.000% w/w

Manufactured By:

Star Chemicals
307, 3rd Floor, University Plaza, Above Chocolate Room, Vijay
Cross Road

Navrangpura, Ahmedabad, Gujarat 380009

Manufacturer Premises :

PLOT NO. 3532 and 3533, GIDC ESTATE, PHASE-IV,
CHHATRAL, KALOL, DIST- GANDHINAGAR, GUJARAT

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".