

One machine dual-use, completed accessories

Patent design of hiden wheels

11 languages, free to switch

Ink parameters are adjustable, ink type can be changed

Weight 450g, portable and easy to use

Independent development with patent protection (16 patents)

Globle and National Certification

Integrating R&D, production, sales and aftersales service



## Technical parameters


Content	Specifications	
Head	Thermal ink jet head	
Operating system	Linux	
External source interface	Optical interface, USB interface, power interface	
Transition indicator light	Transition indicator light green indicates ready status; blue indicates print status; red indicates alarm status;	
Language	Chinese, English, Japanese, Korean, German, Spanish, Russian, Arabic, French, Italian, Portuguese	
Jet printing distance	2-5mm guarantees the best jet printing quality	
Jet printing accuracy	up to 600dpi	
Jet printing height	inting height The word printing volume is 2mm at minimum, and 12.7mm at maximum	
Ink capacity	42ml	
Ink color	Black, white, red, yellow, blue, green, anti-counterfeit	
Jet printing content	Text, QR code, barcode, picture, time, preferences, tags, etc.	
Jet printing material	ting material Panels, cartons, stone, pipes, wire boxes, metals, plastics, electronic accessories,	
Jet printing font Vector font, dot matrix font		
Battery parameter 2600mAhlithium battery pack (7AV)		
Adapter parameters	Adapter parameters DC 9V/2A	
Machine size	Machine size 138*54*217mm	
Machine weight	450g(with battery)	
Working environment Temperature 0 ~ 45 ° C (20 ~ 30 ° C best). Humidity 10%		

## Application industry

Electronic industr	
	e.
Liectionic industr	y.

A 5000			
0/2/0	Daily	chemical	industry

06	Wire and cable industry
Version	



Other industries



## Printing example



Porcelain printing



Metal printing



Pipe printing



Plate printing




Carton Printing

Designation	Specifications description		
Display Screen	4.3 inch color high resolution LCD touch panel		
Display Status	LED green light means power on, blue means on printing, red means power shortage		
Operation Interface	User-friendly UI design, easy to operate		
Printing Content	Characters, numbers, symbols, QR codes, barcodes, pictures, time, dates, counters,		
Printing Fonts	Vector font, dot matrix font		
Printing Resolution	300dpi/600dpi		
Printing Rows	1~5rows adjustable		
Font Height	2.5mm-12.7mm adjustable		
Printing Distance Between	2-5mm (Distance between printer head and object)		
Printing Speed	60m/min(max.speed)		
Printing Direction	360°printing		
Cartridge Capacity	42ml		
External Interface	USB、Photoelectric interface、Power interface		
Battery Capacity	2600mAh		
System Consumptions	<5W in average		
Ambient Temperature	0-40°C		
Ambient Humidity	0%-80%		
Power Supply	DC9V-2A		
Weight	450g		
Storager Capacity	50MB(can store 30000 printing information)		
Continuous Printing	>10h		
Size	138mm*54mm*217mm		



Quad-core CPU







Large capacity rechargeable battery



600 DPI high definition Inkjet printing quality



4.3 inch color high resolution LCD touch panel