

AUTO LENSMETERJUSTICE JS 700 A / AT





Shree optimac industries



FEATURES

- JS 700 A FULL FUNCTION PD + PRINTER + UV
- JS 700 AT TOUCH SCREEN WITH FULL FUNCTION PD + PRINTER + UV
- ► ACCURATELY MEASURING THE LOW DEGREE LENS BELOW +-0.12M.
- MEASURING THE COLORED LENS WITH 10 % TRANSMITTENCE.
- MEASURING THE PROGRESSIVE LENS ACCURATELY AND QUICKLY.
- INSTALLING PD MEASURING INSTRUMENT, UV MEASURING INSTRUMENT AND THERMAL PRINTER.
- USER FRIENDLY INTERFACE WITH EASY OPERATIONS;
 FAST MEASUREMENT, HIGH ACCURACY AND GOOD REPUTATION.



SPHERE	0 ~ +- 25.00M (0.01M , 0.12M , 0.25M steps)
CYLINDER	0 ~ +- 10.00M (0.01M / 0.12M / 0.25M steps)
AXIS	0 ~ 180 DEGREE (1 step)
ADD	0 ~ 10M (0.01M / 0.12M / 0.25M steps)
PRISM	0 ~ 10.00 (0.01M / 0.12M / 0.25M steps)
DIAMETER FOR SPHERE	20 MM – 100MM
COLOR LCD DISPLAY	5.6 inch TFT LCD MONITOR TOUCH / BUTTON SCREEN
PRINTER	THERMAL PRINTER
POWER SUPPLY	AC 220V, 50HZ, or AC 100V, 60 HZ, 35VA
DATA INTERFACE	Rs – 232
CARTON SIZE / UNIT SIZE	550 X 345 X 320 MM / 290 X 200 X 420MM
WEIGHT	G.W 6 kg / N.W 4 kg
UV	BUILTIN

Add 1,First Floor,Mahadev Complex,Opp.Yamuna pan, 150 Feet Ring Road,Rajkot 360004 Contact - 8866212899