

TECHNICAL DATA SHEET

PRIMUS 14" / 16" NITRILE POWDER FREE

STERILE NITRILE EXAMINATION GLOVES BEADED 14" / 16"
POWDER FREE

Physical Dimensions

Size	Length (mm) Min	Palm Width	Thickness (mm) Minimum	
			Palm	Finger
<i>Small</i>		80 ± 10		
<i>Medium</i>	350 – 400 mm	95 ± 10	0.05	0.05
<i>Large</i>		110 ± 10		
<i>X-Large</i>		120 ± 10		

Physical Properties

Characteristics	Before Ageing	After Ageing
	(70 deg C for 166 Hrs)	
Tensile Strength (Mpa) Min	14	14
Ultimate Elongation (%) Min	500	400

Formulation

Curing Agent	Sulphur
Accelerators	Zinc diethyl dithio carbamate
Activators	Zinc Oxide
Stabiliser	Potassium Hydroxide
Mould Cleaner	Nitric Acid
Coagulant	Calcium Nitrate

Performance Requirements

Characteristics	Related Defects	Inspection Level	AQL
<i>Water tightness (Final Release)</i>	<i>Holes</i>	<i>G-1 Single Sampling Plan</i>	<i>1.5</i>

Primary Material	NITRILE LATEX
Colour	Blue / White
Shape	Ambidextrous
Cuff	Beaded
If Sterilised	Ethylene Oxide
Certificates	ISO 13485 : 2003 , CE Mark
Complies to	EN 455 , ASTM 3577



Packing	Size	Product Code
1 Pair in a Paper Wallet, then to a paper pouch	Small	37N622S/T
50 Pouches (Pairs) in 1 Inner Box	Medium	37N622M/T
4 Inner Boxes (200 Pairs in 1 Master Shipper Carton)	Large	37N622L/T
Pouch Size :		
15 x 30 Cm Peel Open Type		

Manufactured By : PRIMUS Gloves Pvt Limited, Plot No 14-A, Cochin Special Economic Zone,
Kakkanad, Cochin 682037, Kerala, INDIA
Tel : + 91 484 2413063, 2413076 ; Fax : + 91 484 2413089
Email: marketing@primusgloves.com; primusgloves@gmail.com
Web : www.primusgloves.com

