

Specification

Size	:	½" (15 NB) to 48" (1200NB)
Class	:	150 LBS, 300 LBS, 600 LBS, 900 LBS, 1500 LBS, 2500 LBS ASA 150#, 2.0MPa, 5.0MPa, 10.0MPa, 15.0MPa, 25.0MPa, 42.0MPa
Standards	:	ANSI B16.5, ANSI B16.47, MSS SP44, ANSI B16.36, ANSI B16.48
DIN	:	DIN2527, DIN2566, DIN2573, DIN2576, DIN2641, DIN2642, DIN2655, DIN2656, DIN2627, DIN2628, DIN2629, DIN 2631, DIN2632, DIN2633, DIN2634, DIN2635, DIN2636, DIN2637, DIN2638, DIN2673
B.S	:	BS4504 , BS4504, BS1560, BS10
Features	:	Dimensional accuracy, Corrosion resistance, High efficiency, Excellent finish, Durable

Stainless Steel Spectacle Blind Flange

Standard	:	ASTM / ASME A/SA 182
Grades	:	F 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L, 17-4PH, 15-5PH

Duplex And Super Duplex Steel Spectacle Blind Flange

Standard	:	ASTM / ASME A/SA 182
Grades	:	F 44, F 45, F51, F 53, F 55, F 60, F 61

Aluminium Spectacle Blind Flange

Standard : ASTM B247, B361.
Grades : 2024, 6061, 6063, 6101, 7075

Titanium Spectacle Blind Flange

Standard : ASTM B381
Grades : Grade 1, Grade 2, Grade 4, Grade 5, Grade 6, Grade 7, Grade 9, Grade 19, Grade 23

Carbon Steel Spectacle Blind Flange

Standard : ASTM A 105/A694/ A350 LF3/A350 LF2
Grades : F42/46/52/56/60/65/70

Low Temperature Carbon Steel Spectacle Blind Flange

Standard : ASTM A 350 LF2 / A350 LF3

Alloy Steel Spectacle Blind Flange

Standard : ASTM A182/A366 .
Grade : F1/F5/F9/F11/F22/F12/F22/F23/F91 .

Nickel Alloy Spectacle Blind Flange

Standard : ASTM / ASME SB 564 / 160 / 472

GRADES	UNS NO	WERKSTOFF NO
HASTELLOY C 276 Spectacle Blind Flange	UNS 10276	2.4819
HASTELLOY C 22 Spectacle Blind Flange	UNS 6022	2.4602
NICKEL 200 Spectacle Blind Flange	UNS 2200	2.4066
NICKEL 201 Spectacle Blind Flange	UNS 2201	2.4068
MONEL 400 Spectacle Blind Flange	UNS 4400	2.4360/2.4361

MONEL K500 Spectacle Blind Flange	UNS 5500	2.4375
ALLOY 20/ 20CB 3 Spectacle Blind Flange	UNS 8020	2.4660
INCONEL 600 Spectacle Blind Flange	UNS 6600	2.4816
INCONEL 601 Spectacle Blind Flange	UNS 6601	2.4851
INCONEL 625 Spectacle Blind Flange	UNS 6625	2.4856
INCONEL 800/800H/HT Spectacle Blind Flange	UNS 8800/8810/11	1.4958/1.4959
INCONEL 825 Spectacle Blind Flange	UNS 8825	2.4858

Copper Alloy Spectacle Blind Flange

Standard : ASTM / ASME SB 61 / 62 / 151 / 152.

Grade : C 70600 (CU -NI- 90/10) – Cupro Nickel Spectacle Blind Flange C
71500 (CU -NI- 70/30) – Copper Nickel Spectacle Blind Flange
: UNS NO. C 92200, UNS NO. C 83600, UNS NO. UNS NO C
10100, C 10200, C 10300, C 10800, C 12000, C 12200

Test Certificate: Manufacturer Test Certificate as per EN 10204 / 3.1