

Ointment - SECTIONS :-

Ointment - SECTIONS :-

| S.No. | Composition | Strength | Pack Size | Packing Type | Remarks |
|-------|--|--|-----------|---------------------|---------|
| 1 | Diclofenac Di-ethylamine eq. to | 1.16 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | Diclofenac Sodium | | 10 gm | | |
| | Methyl Salicylate | 10 % w/w | 15 gm | | |
| | Linseed Oil | 3 % w/w | 20 gm | | |
| | Menthol | 5 % w/w | 30 gm | | |
| 2 | Povidone Iodine | 5 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |
| | | | 20 gm | | |
| 3 | Clotrimazole Beclomethasone Dipropionate Gentamycin Sulphate | 1 % w/w 0.025 % w/w 0.1 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |
| | | | 20 gm | | |
| 4 | Clotrimazole Beclomethasone Dipropionate | 1 % w/w 0.025 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |
| | | | 20 gm | | |
| 5 | Beclomethasone Dipropionate Gentamycin Sulphate Tolnaftate Quinodochlor | 0.025 % w/w 0.1 % w/w 1 % w/w 1 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |
| | | | 20 gm | | |
| 6 | Povidone Iodine Metronidazole | 5 % w/w 1 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |
| | | | 20 gm | | |
| 7 | Beclomethasone Dipropionate Gentamycin Sulphate Miconazole Nitrate | 0.05 % w/w 0.1 % w/w 2 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |
| | | | 20 gm | | |
| 8 | Betamethasone Dipropionate Salicylic acid | 0.064 % w/w 3 % w/w | 5 gm | Lami Tube/ Al. Tube | |
| | | | 10 gm | | |
| | | | 15 gm | | |

| | | | | |
|----|---|---|---------------------------------|---------------------|
| | | | 20 gm | |
| 9 | Miconazole Nitrate Gentamycin Sulphate Flucinolene Acetonide | 2 % w/w 0.1 % w/w 0.01 % w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 10 | Silver Sulphadiazine Chlorhexidine Gluconate | 1 % w/w 0.2 % w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 11 | Clobetasol Propionate Neomycin Sulphate Tolnaftate Iodochlor Hydroxyl Quinoline Clotrimazole Cream | 0.50 mg 1 mg 10 mg 10 mg 10 mg | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 12 | Clobetasol Propionate Neomycin Sulphate Tolnaftate Iodochlor Hydroxyl Quinoline Clotrimazole Cream | 0.50 % w/w 1 mg 10 mg 10 mg 10 mg | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 13 | Mupirocin Cream | 2 % w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 14 | Mometasone furoate Cream Aloevera Base | 0.1 % w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 15 | Clotrimazole Beclomethasone Dipropionate Neomycin Sulphate Cream | 1 % w/w 0.025 % w/w 0.5 % w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 16 | Clobetasol Propionate Neomycin Sulphate Tolnaftate | 0.050 % w/w 1 % w/w 10 mg | 5 gm 10 gm 15 gm | Lami Tube/ Al. Tube |

| | | | | |
|----|---|--------------------|---------------------------------|---------------------|
| | Miconazole Nitrate Cream | 2 % w/w | 20 gm | |
| 17 | Betamethasone Valerate Gentamycin Sulphate Cream | 0.12% 0.10% | 5 gm 10 gm 15 gm | Lami Tube/ Al. Tube |
| 18 | Betamethasone Dipropionate Iodochlorohydroxyquinoline Cream | 0.64 mg 30 mg | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 19 | Povidine -Iodine I.P Cream | 5% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 20 | Clindamycin Phosphate eq. Nicotinamide | 1% w/w 4% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 21 | Clindamycin Phosphate eq. | 1% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 22 | Clindamycin Phosphate eq. Adapalene | 1% w/w 0.1% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 23 | Miconazole Nitrate | 1% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 24 | Mupirocin | 2% w/w | 5 gm | Lami Tube/ Al. Tube |

| | | | | |
|----|---|---|---------------------------------|---------------------|
| | Mometasone Furoate | 0.1% w/w | 10 gm 15 gm 20 gm | |
| 25 | Fusidic acid Mometasone Furoate | 2% w/w 0.1% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 26 | Salicylic acid Lactic acid Urea Mometasone Furoate | 3% w/w 3% w/w 10% w/w 0.1% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 27 | Salicylic acid Lactic acid Urea | 3% w/w 5% w/w 10% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |
| 28 | Aluminium Sulphate Cetrimide Calamine Powder | 2% w/w 0.5% w/w 20% w/w | 5 gm 10 gm 15 gm 20 gm | Lami Tube/ Al. Tube |